

# PACAM Attachments

## Bale gripper 1 hydraulic cylinder



### Characteristics:

Maximum opening: 2100 mm

Arms: pipe — 60 mm,

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)
PACUBGAM	Transport	PACAM	1360	1160	780	195	1000	0,9 - 1,8



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Bale gripper 2 hydraulic cylinders



### Characteristics:

Maximum opening: 2100 mm  
Arms: pipe — 60 mm,

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)
PACUBG2CAM	Transport	PACAM	1360	1160	780	200	1000	0,9 - 1,8



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Square bale gripper



### Characteristics:

Maximum opening: 2100 mm  
Arms: pipe — 60 mm,

Optional other type of connection:  
additional price 160 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)
PACUSBGAM	Transport	PACAM	1100	570	1380	300	1000	0,8 - 2,1



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Bale transporter – mechanical



### Characteristics:

Arms: pipe — 60 mm, length: 1100 mm

Optional other type of connection:  
additional price 160 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)
PACUBTMAM	Transport	PACAM	1460	1300	950	120	1000	1,2 - 1,8



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Bale transporter – hydraulic



### Characteristics:

Arms: pipe — 60 mm, length: 1100 mm  
Tine 1200 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)
PACUBTHAM	Transport	PACAM	1200	1300	950	160	1000	0,8 - 1,8



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Bale fork 2 tines



### Characteristics:

Tine length and type: 1100 mm, forged tines

Tine distance: 750 mm

Optional other type of connection:

additional price 160 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines
PACUBF2TAM	Transport	PACAM	1140	1100	610	70	800	2



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Bale fork 4 tines



### Characteristics:

Tine length and type: lower-1100 mm, upper-810 mm, forged tines  
Lower tine distance: 370 mm

Optional other type of connection:  
additional price 160 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines
PACUBF4TAM	Transport	PACAM	1140	1000	1200	120	800	4



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Wood gripper for pallet frame



### Characteristics:

Standard connection: FEM 2

Optional other type of connection on request



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)
PACUPG1AM	Transport	Fem 2a	340	540	1190	75	1000



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Pallet forks 1,6t



### Characteristics:

Fork length: 1000 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)
PACUPF16AM	Transport	PACAM	1210	1200	500	140	1600



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Pallet forks 2,0t



### Characteristics:

Fork length: 1000 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)
PACUPF20AM	Transport	PACAM	1250	1200	500	165	2000



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Standard bucket



### Characteristics:

Blade: 400HB 110x12 mm

Strengthening: ribs as standard, optional reinforcing plate

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)
PACSSB090AM	Mini loader	PACAM	900	830	630	240	120
PACSSB110AM	Mini loader	PACAM	1100	830	630	290	145
PACSSB120AM	Mini loader	PACAM	1200	830	630	320	155
PACSSB140AM	Mini loader	PACAM	1400	830	630	370	165
PACSSB150AM	Mini loader	PACAM	1500	830	630	400	170
PACSSB160AM	Mini loader	PACAM	1600	830	630	430	180
PACSSB180AM	Mini loader	PACAM	1800	830	630	460	190



### PACAM Attachments

Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manure fork with gripper



### Characteristics:

Tine length: lower-810 mm, upper-400 mm  
Opening height: 1030 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Number of cylinders
PACSFWG090AM	Mini loader	PACAM	900	880	730	360	155	4 / 5	1
PACSFWG110AM	Mini loader	PACAM	1100	880	730	440	170	5 / 6	1
PACSFWG120AM	Mini loader	PACAM	1200	880	730	480	195	6 / 7	1
PACSFWG140AM	Mini loader	PACAM	1400	880	730	560	210	7 / 8	2
PACSFWG150AM	Mini loader	PACAM	1500	880	730	600	220	7 / 8	2



### PACAM Attachments

Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Bucket with gripper



### Characteristics:

Blade: 400HB 110x12 mm

Tine length: 600 mm

Opening height: 960 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Number of cylinders
PACSBWG090AM	Mini loader	PACAM	900	820	690	320	150	4	1
PACSBWG110AM	Mini loader	PACAM	1100	820	690	400	180	5	1
PACSBWG120AM	Mini loader	PACAM	1200	820	690	430	195	6	1
PACSBWG140AM	Mini loader	PACAM	1400	820	690	500	230	7	2
PACSBWG150AM	Mini loader	PACAM	1500	820	690	540	245	7	2



### PACAM Attachments

Kanaalstraat 101 D

NL-5711 EG, SOMEREN

the Netherlands

Tel: +31 (0)493 382503

E-Mail: [info@pacam.nl](mailto:info@pacam.nl)

Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Silage cutter - fork



### Characteristics:

Tine length: 820 mm  
Opening height: 910 mm

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines
PACSSC090AM	Mini loader	PACAM	900	1010	880	420	450	6
PACSSC110AM	Mini loader	PACAM	1100	1010	880	460	470	7
PACSSC130AM	Mini loader	PACAM	1300	1010	880	550	490	8
PACSSC150AM	Mini loader	PACAM	1500	1010	880	590	510	9



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manure scraper



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
Side edges bending: 430mm — 30°

Optional other type of connection:  
additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)
PACSRSM150AM	Mini loader	PACAM	1500	480	680	165
PACSRSM170AM	Mini loader	PACAM	1700	480	680	175
PACSRSM200AM	Mini loader	PACAM	2000	480	680	185
PACSRSM220AM	Mini loader	PACAM	2200	480	680	195
PACSRSM240AM	Mini loader	PACAM	2400	480	680	200
PACSRSM260AM	Mini loader	PACAM	2600	480	680	205
PACSRSM300AM	Mini loader	PACAM	3000	480	680	220



**PACAM Attachments**  
Kanaalstraat 101 D  
NL-5711 EG, SOMEREN  
the Netherlands

Tel: +31 (0)493 382503  
E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manure scraper - hydraulic



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
 Side edges bending: 320mm — 42°

Optional other type of connection:  
 additional price 160 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )
PACSRSH150AM	Mini loader	PACAM	1500	860	680	230	50
PACSRSH170AM	Mini loader	PACAM	1700	860	680	242	50
PACSRSH200AM	Mini loader	PACAM	2000	860	680	265	50
PACSRSH220AM	Mini loader	PACAM	2200	860	680	273	50
PACSRSH240AM	Mini loader	PACAM	2400	860	680	280	50
PACSRSH260AM	Mini loader	PACAM	2600	860	680	295	50
PACSRSH300AM	Mini loader	PACAM	3000	860	680	315	50



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Feeding bucket



### Characteristics:

Blade: 400HB 110x12 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides
PACFBSS120MINIAM	Feeding	PACAM	1200	1320	900	720	425	No
PACFBSS140MINIAM	Feeding	PACAM	1400	1320	900	840	450	No
PACFBSS160MINIAM	Feeding	PACAM	1600	1320	900	960	470	No
PACFBSS180MINIAM	Feeding	PACAM	1800	1320	900	1080	490	No



### PACAM Attachments

Kanaalstraat 101 D

NL-5711 EG, SOMEREN

the Netherlands

Tel: +31 (0)493 382503

E-Mail: [info@pacam.nl](mailto:info@pacam.nl)

Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Snow blade light (Hydr. Adjustable)



### Characteristics:

- Wheel support (160/50). Additional price 210 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 80 €
- PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection
PACCPLH130MINIAM	Communal	PACAM	1300	760	850	165	30	Yes
PACCPLH150MINIAM	Communal	PACAM	1500	760	850	175	30	Yes
PACCPLH180MINIAM	Communal	PACAM	1800	760	850	195	30	Yes
PACCPLH200MINIAM	Communal	PACAM	2000	760	850	215	30	Yes



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Snow blade light (Mech. Adjustable)



### Characteristics:

- Wheel support (160/50). Additional price 210 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 80 €
- PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection
PACCPLM130MINIAM	Communal	PACAM	1300	760	850	165	30	Yes
PACCPLM150MINIAM	Communal	PACAM	1500	760	850	175	30	Yes
PACCPLM180MINIAM	Communal	PACAM	1800	760	850	195	30	Yes
PACCPLM200MINIAM	Communal	PACAM	2000	760	850	215	30	Yes



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Snow plow light (Hydr. Adjustable)



### Characteristics:

- Wheel support (160/50). Additional price 210 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 80 €
- PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection
PACCPLV150MINIAM	Communal	PACAM	1500	680	750	210	Yes
PACCPLV180MINIAM	Communal	PACAM	1800	680	750	230	Yes
PACCPLV200MINIAM	Communal	PACAM	2000	680	750	250	Yes



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Snow blade extra light (Hydr. Adjustable)



### Characteristics:

Wheel support (160/50). Additional price 210 €

LED lights. Additional price 60 €

Ground following function. Additional price 120 €

Steel wear blade 150x16. Additional price/M 80 €

PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection
PACCPK120MINIAM	Communal	PACAM	1200	550	570	120	Yes
PACCPK150MINIAM	Communal	PACAM	1500	550	570	130	Yes
PACCPK180MINIAM	Communal	PACAM	1800	550	570	140	Yes



**PACAM Attachments**  
 Kanaalstraat 101 D  
 NL-5711 EG, SOMEREN  
 the Netherlands

Tel: +31 (0)493 382503  
 E-Mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)

